

ALUMINUM UN ARMoured / ARMoured

PRICE LIST : 13.03.2026

"KEI" BRAND Power Cables, Solid Aluminum conductor up to 10 sqmm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, unarmoured/Armour (Aluminium wire for single core up to 70 sqmm balance Aluminium strip, Galvanised wire for cables upto 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/1100V grade as per IS 7098(Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	A2XY	A2XY	A2XY	A2XY	A2XY		A2XWaY	A2XWY	A2XWY	A2XFY	A2XWY
4		100	122		148	4		181	204		237
6		126	156		193	6		215	244		289
10		178	222		281	10		278	322	R/W →	393
16		233	304		400	16	R/W →	330		*F/A →	489
25	156	319	452	541	593	25		281	381	526	619
35	204	415	600	689	785	35		352	485	678	778
50	278	570	819	956	1089	50		448	648	907	1044
70	378	770	1130	1319	1493	70		570	863	1230	1419
95	493	1019	1485	1744	1963	95		696	1115	1593	1856
120	615	1267	1859	2211	2478	120		833	1374	1970	2344
150	770	1585	2337	2674	3085	150		993	1681	2441	2800
185	944	1933	2852	3344	3796	185		1204	2052	2985	3481
240	1200	2470	3667	4263	4859	240		1496	2596	3800	4404
300	1489	3056	4541	5289	6048	300		1819	3193	4685	5448
400	1970	4033	5981	6952	7970	400		2348	4185	6126	7089
500	2441					500		2848			
630	3063					630		3515			
800	3867					800		4374			
1000	4830					1000		5333			

R/W= ROUND WIRE ARMOUR, F/A= FLAT STRIP ARMOUR

* FLAT STRIP ARMoured (F/A) CABLES ARE NOT CONFIRMING TO IS 7098-1.

EXTRAS FOR SPECIAL CONSTRUCTION:		E] Oxygen Index (FR)				4.00%	
		F] PVC Cables				12.00%	
<u>A] ROUND WIRE ARMOURING</u>		FRLS Loading Factor				LSZH	
1C95 sq.mm & Above	30.00%	Cable Size (Sq.mm)	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
3C & 4C 16 sq.mm & Above	30.00%			Armd.	Unarmd.		
2C & 3.5C 25 sq.mm & Above	30.00%						
<u>B] Stranding</u>		Power (Al.)					
10 sq.mm & Below	5.00%	Upto 16	5.0%	5.0%	5.0%	22.5%	30.0%
<u>C] Extruded PVC Inner Sheath</u>		25 - 50	5.0%	5.0%	5.0%	18.0%	22.5%
Upto 50 sq.mm	5.00%	70 & above	5.0%	5.0%	5.0%	22.5%	18.0%
70 sq.mm & Above	4.00%	Power Single Core (Al.)					
<u>D] HR PVC</u>		Upto 16	-N.A-	5.0%	5.0%	-N.A-	37.5%
Insulation	10.00%	25 - 70	-N.A-	5.0%	5.0%	-N.A-	30.0%
Inner/Outer Sheath (EACH)	5.00%	95 & above	-N.A-	5.0%	5.0%	-N.A-	26.0%

• The above rates are exclusive of GST & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

CU UNARMoured / ARMoured

PRICE LIST : 13.03.2026

"KEI" **BRAND** Power/Control Copper Cables, Solid Copper conductor, XLPE Insulated, cores laid up, PVC tape innersheathed, Unarmoured/Armoured (Galvanised wire for cables up to 14x1.5 sqmm, 9x2.5 sqmm, 2x16 sqmm, 3x10 sqmm, 4x10 sqmm balance all galvanised steel strip), extruded PVC Type ST2 Sheathed, 650/1100 V grade as per IS 7098 (Part 1) 1988

(Rate in Rs. Per Mtr.)

Cable Size in sq.mm	UN ARMoured					Cable Size in sq.mm	ARMoured				
	Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4		Core - 1	Core - 2	Core - 3	Core - 3.5	Core - 4
	2XY	2XY	2XY	2XY	2XY		2XW aY 2XFaY	2XWY 2XFY	2XWY 2XFY	2XFY	2XWY 2XFY
4		456	652		856	4		519	707		911
6		659	952		1256	6		722	1004		1300
10		1063	1548		2048	10		1122	1589		2078
16	815	1648	2374		3159	16	907	1678	2404		3189
25	1315	2530	3763	4563	5011	25	1396	2600	3852	4659	5115
35	1826	3511	5241	6037	6970	35	1907	3589	5333	6144	7085
50	2593	4989	7448	8685	9926	50	2670	5081	7556	8804	10059
70	3619	6956	10404	12137	13863	70	3678	7067	10533	12274	14015
95	4689	9415	14074	16548	18767	95	4911	9533	14219	16707	18933
120	5915	11874	17759	21211	23678	120	6156	12007	17922	21400	23863
150	7396	14844	22215	25648	29593	150	7648	14981	22385	25852	29800
185	9115	18285	27370	32056	36496	185	9407	18448	27585	32289	36730
240	11800	23693	35467	41370	47278	240	12133	23874	35685	41619	47541
300	14737	29585	44296	51696	59081	300	15111	29778	44548	51989	59404
400	19637	39389	58996	68159	78993	400	20081	39619	59319	68678	79315
500	24530					500	25004				
630	30900					630	31433				
800	39215					800	39807				
1000	49000					1000	49626				

CONTROL CABLES

(Rate in Rs. Per Mtr.)

Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY		Number of Cores	UN ARMoured 2XY		ARMoured - 2XWY/2XFY	
	1.5	2.5	1.5	2.5		1.5	2.5	1.5	2.5
2	196	296	256	356	12	1007	1593	1089	1648
3	270	419	326	474	14	1170	1852	1256	1915
4	348	548	404	600	16	1330	2119	1378	2174
5	448	704	507	763	19	1567	2504	1619	2552
6	522	830	596	900	24	1956	3156	2026	3207
7	600	959	670	1022	27	2189	3537	2252	3578
8	685	1093	763	1163	30	2426	3922	2493	3963
10	848	1337	930	1396	37	2978	4800	3033	4856

EXTRAS FOR SPECIAL CONSTRUCTION:

A) Tinning	3.00%
B) Stranding (Upto 6 sq.mm)	4.00%
C) Extruded Innersheath	4.00%
D) ROUND WIRE ARMOURING	
1C 95 sq.mm & above	9.00%
2C 25 sq.mm & Above	18.00%
3C & 4C 16 sq.mm & Above	18.00%
1.5 sq.mm - 16 Core & Above	18.00%
2.5 sq.mm - 10 Core & Above	18.00%
E) Oxygen Index (FR)	4.00%

F) FRLS

Upto 6 Sqmm	5.00%
10 Sqmm & Above	5.00%
G) HR PVC INSULATION	7.50%
H) HR I.SH/O.SH. (EACH)	5.00%
I) PVC Cables	7.50%

FRLS Loading Factor- Control Cable				LSZH	
Cores	Inner Sheath	Outer Sheath		Inner Sheath	Outer Sheath
		Armd.	Unarmd.		
2 - 4	5.0%	5.0%	5.0%	22.5%	22.5%
5 - 10	5.0%	5.0%	5.0%	22.5%	22.5%
12 & Above	5.0%	5.0%	5.0%	18.0%	18.0%

- The above rates are exclusive of GST & any other taxes which shall be charged extra.
- This cancels all our previous Price Lists. This Price List is subject to change without prior notice.

1C HT CABLE FLAT & ROUND
PRICE LIST : 13.03.2026

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.18kA FOR 1 SEC), AL FLAT STRIP ARMoured & AL ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

1 CORE HT XLPE											
Cable Size in sq.mm	A2XCEFaY					Cable Size in sq.mm	A2XCEWaY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
240	1985	2078	2356	2430	2922	240	2304	2407	2737	2811	3374
300	2348	2430	2722	2796	3319	300	2693	2770	3119	3207	4022
400	2967	3015	3344	3430	3959	400	3281	3330	3711	3789	4659
500	3559	3581	3933	4015	4578	500	3948	3985	4607	4707	5359
630	4293	4307	4674	4763	5381	630	4781	4796	5467	5563	6263
800	5222	5241	5641	5744	6389	800	6041	6074	6526	6641	7367
1000	6337	6348	6796	6885	7593	1000	7311	7311	7796	7922	9144

EXTRAS FOR SPECIAL CONSTRUCTION:-
1) FRLS PVC SHEATH -

Inner Sheath


5.0%

Outer Sheath

5.0%

2) FR Sheath with Oxygen Index

2.5%


3C HT CABLE FLAT & ROUND
PRICE LIST : 13.03.2026

"KEI" BRAND STRANDED COMPACT CIRCULAR ALUMINIUM CONDUCTOR, CONDUCTOR SCREEN WITH EXTRUDED SEMI CONDUCTING COMPOUND, XLPE INSULATED, INSULATION SCREENING WITH EXTRUDED SEMI CONDUCTING COMPOUND IN COMBINATION WITH COPPER TAPE (0.3kA FOR 1 SEC 3CORE COMBINED), CORES LAID UP, INNERSHEATH OF PVC TAPE, GALVANISED STEEL FLAT STRIP ARMoured & ROUND WIRE ARMoured, AND OVERALL PVC SHEATHED CABLE CONFORMING TO IS 7098 / (PART-II) 1985 WITH THE LATEST AMENDMENTS.

(Rate in Rs. Per Mtr.)

3 CORE HT XLPE											
Cable Size in sq.mm	A2XCEFY					Cable Size in sq.mm	A2XCEWY				
	6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]		6.6 KV [E] / 3.3 KV [UE]	6.6 KV [UE] / 11 KV [E]	11 KV [UE]	22 KV [E]	33 KV [E]
35						35					
50						50					
70						70					
95	2952	3200	3896	4089	5315	95	3326	3596	4585	4811	6170
120	3396	3633	4370	4533	5793	120	3767	4019	5063	5274	7085
150	3941	4167	4956	5133	6478	150	4330	4633	5674	5896	7763
185	4470	4793	5556	5744	7133	185	4926	5444	6300	6515	8419
240	5489	5804	6600	6804	8244	240	6174	6519	7419	8056	9644
300	6552	6789	7652	7948	9341	300	7285	7556	8907	9167	10811
400	8415	8537	9478	9722	11189	400	9596	9744	10826	11056	12833

EXTRAS FOR SPECIAL CONSTRUCTION:-
1) Extruded PVC Inner Sheath

5.0%

2) Pressure Extruded PVC Innersheath

20.0%

3) FRLS PVC SHEATH -

Inner Sheath

5.0%

Outer Sheath

5.0%

4) FR Sheath with Oxygen Index

2.5%

• The above rates are exclusive of GST & any other taxes which shall be charged extra.

• This cancels all our previous Price Lists. This Price List is subject to change without prior notice.