The background of the entire page is a dynamic water splash. It features a large, central splash that curves from the top right towards the bottom left, with numerous smaller droplets and bubbles scattered throughout the white space. The water is clear and bright, creating a clean, fresh aesthetic.

POD

IP-68 PRE FILLED GEL CONNECTORS

Price List








S.no	Code	New Code	Product	Description	Price/Unit
01	5665	P-4427		2 Way connection 2 wires x 0.75mm ² (wire OD 4.8mm to 6mm)	365
02	5630	P-3737		2 Way connection 2 wires x 1.0mm ² (wire OD 6mm to 8mm)	475
03	5698	P-5537		2 Way connection 3 wires x 1.0mm ² (wire OD 5mm to 7mm)	565
04	5664	P-8040		4 Way connection 2 wires x 1.0mm ² (wire OD 4.5mm to 8.5mm)	645
05	5664/20	P-8040/1		4 Way connection 2 wires x 1.0mm ² (wire OD 4.5mm to 8.5mm)	645
06	5695/1	P-7023		2 Way connection 3 wires x 1.5mm ² (wire OD 5.5mm to 10mm)	545

S.no	Code	New Code	Product	Description	Price/Unit
07	5633	P-3843		2 Way connection 3 wires x 1.5mm ² (wire OD 8-10mm)	545
08	5633/6	P-3843/1		2 Way connection 4 wires x 1.0mm ² or 6 wires x 0.5mm ² (wire OD 8-10mm)	565
09	5697/3	P-4390/3		3 Way connection 3 wires x 2.5mm ² (wire OD 6.5-12mm)	680
10	5697/5	P-4390/5		3 Way connection 5 wires x 1.5mm ² (wire OD 6.5-12mm) for dimmable and/or DALI system	770
11	5695/3	P-8368/3		3 Way connection Main line: 2 wires x 2.5mm ² Derivation line: 3 wires x 1.5mm ² (wire OD Main line: 6.5-12mm Derivation line: 5.5-10mm)	680
12	5695/5	P-8368/5		3 Way connection Main line: 5 wires x 1.5mm ² Derivation line: 5 wires x 0.75mm ² (wire OD Main line: 6.5-12mm Derivation line: 5.5-10mm)	770

S.no	Code	New Code	Product	Description	Price/Unit
13	5650/3	P-10029/3		2 Way connection 3 wires x 2.5mm ² (wire OD 5.5-10mm)	610
14	5650	P-10029		2 Way connection 4 wires x 1.0mm ² or 6 wires x 0.5mm ² (wire OD 5.5-10mm)	655
15	5650/20	P-10029/2		2 Way connection 2 wires x 1.5mm ² (wire OD 5.5-10mm)	610
16	5625	P-10544		4 Way connection 3 wires x 2.5mm ² (wire OD 6.5-12mm)	635
17	5625/415	P-10544/2		4 Way connection 4 wires x 1.5mm ² (wire OD 6.5-12mm)	635
18	5660/2	P-12040/2		2 Way connection 2 wires x 6mm ² (wire OD 7.5-16mm)	1150

S.no	Code	New Code	Product	Description	Price/Unit
19	5660/3	P-12040/3		3 Way connection 3 wires x 4mm ² (wire OD 7.5-16mm)	1150
20	5663	P-12067		3 Way connection Main line: 3 wires x 6mm ² Derivation line: 3 wires x 0.5mm ² (wire OD Main line: 7.5-16mm Derivation line: 6.5-12mm)	1400
21	5660/5	P-13878		5 Way connection 5 wires x 1.5mm ² (wire OD 7.5-16mm)	1150

S.no	Product code	Product	Description	Price/Unit
01	SNAP-IT 1		3 Side outlet for 2 to 3 wire Connectors of 1.5, 2.5, or 4mm ² wires	205
02	SNAP-IT 2		3 Side outlet for 3 to 5 wire Connectors of 1.5, 2.5 or 4mm ² wires	250
03	SNAP-IT 3		3 Side outlet for 3 to 6 wire Connectors of 1.5, 2.5, or 4mm ² wires	385

S.no	Product code	Product	Description	Price/Unit
01	CLICK 1		Ideal for 1 connector of 2pin or 3pin for 1.5 to 4mm ² wires	160
02	CLICK 2		Ideal for 1 or 2 connectors of 2pin or 1 connector of 3/4/5 pin for 2.5 to 4mm ² wires	194
03	CLICK 3		Ideal for 2 connectors of 3pin or 3 connectors of 2 pin for 2.5 to 4mm ² wires	194
04	CLICK 4		Ideal for 2 connectors of 2pin or 1 connectors of 3/4/5 pin for 2.5 to 4mm ² wires	304
05	CLICK 5		Ideal for 2 to 3 pin connectors of 6mm ² wires	365
06	CLICK 6		Ideal for 3 pin connectors of 4mm ² wires	430
07	CLICK 7		Ideal for 3 pin connectors of 4 or 6mm ² wires	475

IP-68 PRE FILLED GEL CONNECTORS

S.no	Product code	Product	Price/Unit
01	RAPID CLICK 1		160
02	RAPID CLICK 2		194
03	RAPID CLICK 3		194

S.no	Product code	Product	Price/Unit
01	SUPER SNAP 1		1330
02	SUPER SNAP 2		1985
03	SUPER SNAP 3		4300
04	SUPER SNAP 3+		4640